



10810323

C9C

Attorney's Docket No. Micronas 7441

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,119,538

Issued: October 10, 2006

Name of Patentee: Lothar Blossfeld

Title of Invention: OFFSET-REDUCED HALL SENSOR

Commissioner for Patents

P.O. Box 1450

Alexandria, VA

ATTN: Certificate of Correction Branch

REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

1. Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

NOTE: Form PTO-1050, using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. MPEP S 1485.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. MPEP S 1485.

2. The exact page and line number where the errors are shown correctly in the application file are:

Attorney, Agent, or Firm

Delete "O'Shea, Getz Kosakowski, P.C." and insert --O'Shea, Getz & Kosakowski, P.C.--

Column 3

Line 30, before "Hall" insert --the--

Line 36, before "Hall" insert --the--

Line 36, before "taps" insert --the--

Line 41, before "central" insert --the--

Line 48, before "Hall" insert --the--

Line 49, before "Hall" insert --the--

Line 51, before "Hall" insert --the--

Line 56, before "Hall sensor" insert --the--

Line 63, before "connected" delete "expediently"

Line 64, before "control" insert --the--

Certificate

OCT 18 2006

of Correction

I hereby certify that this correspondence (along with any paper referred to as being attached or enclosed) is being deposited on the date below with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Sarah L. Henry
Sarah L. Henry

10/12/06

Date

OCT 18 2006

Column 4

Line 9, before "measured" insert --the--
Line 11, before "memory" insert --the--
Line 34, delete "FIG." and insert --FIGS.--
Line 35, before "taps" insert --the--
Line 54, before "first" insert --the--

Column 5

Line 12, before "Hall" insert --the--
Line 24, before "Hall" insert --the--
Line 50, before "Hall" insert --the--
Line 51, before "Hall" insert --the--
Line 53, before "Hall" insert --the--
Line 54, before "taps" insert --the--
Line 55, after "tap" insert --the--
Line 55, after "while" insert --the--
Line 56, before "taps" insert --the--
Line 57, before "first" insert --the--
Line 57, before "Hall" insert --the--
Line 62, before "Hall" insert --the--

Column 6

Line 1, before "Hall" insert --the--
Line 7, before "magnetic" insert --the--
Line 10, before "Hall " insert --the--
Line 11, before "magnetic" insert --the--
Line 11, before "current" insert --the--
Line 19, before "first" insert --the--
Line 20, after "tap" insert --a2,--
Line 20, after "a5" insert --, respectively--
Line 21, before "third" insert --the--
Line 22, before "magnetic" insert --the--
Line 23, before "current" insert --the--
Line 24, before "measurement" insert --the--
Line 25, before "current" insert --the--
Line 26, before "Hall" insert --the--
Line 28, before "magnetic" insert --the--
Line 29, before "current" insert --the--
Line 36, before "resistance" insert --the--
Line 45, before "Hall" insert --the--
Line 45, before "first" insert --the--
Line 46, before "third" insert --the--
Line 47, delete "a2" and insert --a1--
Line 52, before "Hall" insert --the--
Line 53, before "third" insert --the--
Line 54, before "Hall" insert --the--

OCT 18 2006

Column 6

Line 54, before "fourth" insert --the--
Line 55, before "third" insert --the--
Line 56, after "taps" delete "a"
Line 57, delete "1" and insert --a1--

Column 7

Line 11, after "Uh." insert --The--
Line 29, before "first" insert --the--
Line 30, before "second" insert --the--
Line 31, before "second" insert --the--
Line 31, before "first" insert --the--
Line 47, delete "4a" and insert --4A--
Line 50, before "central" delete "a" and insert --the--
Line 60, before "magnetic" insert --the--
Line 60, before "Hall" insert --the--
Line 65, before "Hall" insert --the--

Column 8

Line 5, before "Hall" insert --the--
Line 19, before "individual" insert --the--
Line 20, before "external" insert --the--
Line 20, before "existing" insert --the--
Line 20, before "interior" insert --the--
Line 25, before "Hall" insert --the--
Line 38, after "sensor" delete "I" and insert --1--
Line 40, before "Hall" insert --the--
Line 57, before "magnetic" insert --the--
Line 65, before "magnetic" insert --the--

Column 9

Line 11, before "base" insert --the--

Column 10

In the claims, claim 2, line 2, after "second" delete "taps" and insert --tap--

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. MPEP S 1485.

OCT 13 2005

3. Please send the Certificate to:

Name: Patrick J. O'Shea, Esq.

Address: O'Shea, Getz & Kosakowski, P.C.

1500 Main Street, Suite 912

Springfield, Massachusetts 01115

Signature(s) of patentee(s)

or

Micronas GmbH

(TYPE OR PRINT NAME OF ASSIGNEE)

Patrick O'Shea

Signature of assignee or person authorized to
sign on behalf of assignee

☐ Assignment recorded on:

Patrick O'Shea, Esq.

(TYPE OR PRINT NAME OF AUTHORIZED
PERSON SIGNING)

Attorney of record

Title of authorized person signing

☐ Recordal of assignment attached

☐ Attached is a "CERTIFICATE UNDER 37 CFR 3.73(b)," establishing the right of the assignee to take action in this case.

NOTE: "A certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or [THE PATENTEE'S] ASSIGNEE." 37 CFR 1.322(A). THE CERTIFICATE OF CORRECTION CAN BE SIGNED BY THE ATTORNEY OF RECORD WHO ACTS ON BEHALF OF THE INVENTOR(S) OR ASSIGNEE(S).

OCT 18 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 7,119,538
DATED: October 10, 2006
INVENTOR(S): Lothar Blossfeld

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Attorney, Agent, or Firm

Delete "O'Shea, Getz Kosakowski, P.C." and insert --O'Shea, Getz & Kosakowski, P.C.--

Column 3

Line 30, before "Hall" insert --the--
Line 36, before "Hall" insert --the--
Line 36, before "taps" insert --the--
Line 41, before "central" insert --the--
Line 48, before "Hall" insert --the--
Line 49, before "Hall" insert --the--
Line 51, before "Hall" insert --the--
Line 56, before "Hall sensor" insert --the--
Line 63, before "connected" delete "expediently"
Line 64, before "control" insert --the--

Column 4

Line 9, before "measured" insert --the--
Line 11, before "memory" insert --the--
Line 34, delete "FIG." and insert --FIGS.--
Line 35, before "taps" insert --the--
Line 54, before "first" insert --the--

MAILING ADDRESS OF SENDER:

Patrick J. O'Shea, Esq.
O'Shea, Getz & Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MA 01115

PATENT NO. 7,119,538

OCT. 18 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 7,119,538
DATED: October 10, 2006
INVENTOR(S): Lothar Blossfeld

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5

Line 12, before "Hall" insert --the--
Line 24, before "Hall" insert --the--
Line 50, before "Hall" insert --the--
Line 51, before "Hall" insert --the--
Line 53, before "Hall" insert --the--
Line 54, before "taps" insert --the--
Line 55, after "tap" insert --the--
Line 55, after "while" insert --the--
Line 56, before "taps" insert --the--
Line 57, before "first" insert --the--
Line 57, before "Hall" insert --the--
Line 62, before "Hall" insert --the--

Column 6

Line 1, before "Hall" insert --the--
Line 7, before "magnetic" insert --the--
Line 10, before "Hall " insert --the--
Line 11, before "magnetic" insert --the--
Line 11, before "current" insert --the--
Line 19, before "first" insert --the--
Line 20, after "tap" insert --a2,--
Line 20, after "a5" insert --, respectively--
Line 21, before "third" insert --the--
Line 22, before "magnetic" insert --the--

MAILING ADDRESS OF SENDER:

Patrick J. O'Shea, Esq.
O'Shea, Getz & Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MA 01115

PATENT NO. 7,119,538

OCT. 18 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 7,119,538
DATED: October 10, 2006
INVENTOR(S): Lothar Blossfeld

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 23, before "current" insert --the--
Line 24, before "measurement" insert --the--
Line 25, before "current" insert --the--
Line 26, before "Hall" insert --the--
Line 28, before "magnetic" insert --the--
Line 29, before "current" insert --the--
Line 36, before "resistance" insert --the--
Line 45, before "Hall" insert --the--
Line 45, before "first" insert --the--
Line 46, before "third" insert --the--
Line 47, delete "a2" and insert --a1--
Line 52, before "Hall" insert --the--
Line 53, before "third" insert --the--
Line 54, before "Hall" insert --the--
Line 54, before "fourth" insert --the--
Line 55, before "third" insert --the--
Line 56, after "taps" delete "a"
Line 57, delete "1" and insert --a1--

MAILING ADDRESS OF SENDER:

Patrick J. O'Shea, Esq.
O'Shea, Getz & Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MA 01115

PATENT NO. 7,119,538

OCT 18 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 7,119,538
DATED: October 10, 2006
INVENTOR(S): Lothar Blossfeld

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 11, after "Uh." insert --The--
Line 29, before "first" insert --the--
Line 30, before "second" insert --the--
Line 31, before "second" insert --the--
Line 31, before "first" insert --the--
Line 47, delete "4a" and insert --4A--
Line 50, before "central" delete "a" and insert --the--
Line 60, before "magnetic" insert --the--
Line 60, before "Hall" insert --the--
Line 65, before "Hall" insert --the--

Column 8

Line 5, before "Hall" insert --the--
Line 19, before "individual" insert --the--
Line 20, before "external" insert --the--
Line 20, before "existing" insert --the--
Line 20, before "interior" insert --the--
Line 25, before "Hall" insert --the--
Line 38, after "sensor" delete "I" and insert --1--
Line 40, before "Hall" insert --the--
Line 57, before "magnetic" insert --the--
Line 65, before "magnetic" insert --the--

MAILING ADDRESS OF SENDER:

Patrick J. O'Shea, Esq.
O'Shea, Getz & Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MA 01115

PATENT NO. 7,119,538

OCT 18 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 7,119,538
DATED: October 10, 2006
INVENTOR(S): Lothar Blossfeld

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9

Line 11, before "base" insert --the--

Column 10

In the claims, claim 2, line 2, after "second" delete "taps" and insert --tap--

MAILING ADDRESS OF SENDER:

Patrick J. O'Shea, Esq.
O'Shea, Getz & Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MA 01115

PATENT NO. 7,119,538

Oct 18 2006